PROFESSIONAL BEVERAGE PREPARATION

Hamilton Beach Fury

High Performance Blender

HBH550-CE | International Series



1.8 L / 64 oz
Container capacity

3 HP
Motor power

880 W
Electrical input

Product Overview

The Hamilton Beach Fury HBH550-CE high-performance commercial bar blender features a 1.8-litre stackable polycarbonate container, a 3 HP motor and 880 W electrical input rating. With Wave~Action technology, a variable timer, Jump Cycle, pulse control and automatic shut-off, it is designed for professional beverage preparation in cafes, restaurants, hotels and bars.

Key Features

- Professional Fury High Performance commercial bar blender.
- 1.8 litre / 64 oz stackable polycarbonate container.
- 3 HP motor and 880 W electrical rating (as supplied).
- Two speeds with convenient paddle switches.
- Variable timer and automated Jump Cycle function.
- Pulse control and automatic shut-off.
- Wave~Action technology for improved ingredient circulation.
- Stainless steel blades and removable filler cap.
- Sure Grip feet for increased stability.
- 220-240 V, 50/60 Hz, single-phase electrical supply.
- Ideal for cafes, restaurants, hotels, bars and juice shops.

Technical Specifications

Hamilton Beach Fury High Performance Blender | HBH550-CE

Product type	Commercial high-performance bar blender
Brand / Series	Hamilton Beach / Fury (International)
Model	HBH550-CE
Installation	Countertop
Container capacity	1.8 litres / 64 oz (as supplied)
Container material / design	Polycarbonate / stackable
Motor power	3 HP
Electrical input	880 W
Speed settings	2 (High / Low)
Control system	Paddle switches
Timer / Jump Cycle	Variable timer / Yes
Pulse / Automatic shut-off	Yes / Yes
Blending technology	Wave~Action System
Blade material	Stainless steel
Container filler cap	Removable
Base stability	Sure Grip feet
Voltage / frequency	220-240 V / 50/60 Hz
Electrical phase	Single-phase (1 Ph)
Rated current	Not specified
Dimensions / net weight	Not specified / Not specified
Country of origin	Not specified

SEO / Product Search Terms

Hamilton Beach HBH550-CE | Fury blender | 1.8 litre bar blender | 3 HP commercial blender | 880 W blender | Wave~Action | professional smoothie blender UAE | Mariot Kitchen Equipment

Ratings are based on provided product information. Confirm missing data before installation.

معدات احترافية لتحضير المشروبات

خلاط بار احترافي هاميلتون بيتش

□□-550□□□ - □□□□

سعة 1.8 لتر □ 64 أونصة

قدرة المحرك 3 حصان - الاستهلاك 880 واط



تقنية □□□□□□□□□□□□ □ سرعتان □ مؤقت متغير □ خاصية النبض

وصف المنتج

خلاط هاميلتون بيتش □□□□ موديل □□-550□□□ مزود بوعاء بولي كربونات بسعة 1.8 لتر ومحرك بقدرة 3 حصان، مع قدرة كهربائية 880 واط. يتميز بتقنية □□□□□□□□□□□□ ومؤقت قابل للتعديل وخاصية □□□□□ □□□□ والنبض والإيقاف التلقائي، مما يجعله مناسباً للمقاهي والمطاعم والفنادق ومحطات تحضير المشروبات.

المميزات الرئيسية

- وعاء بولي كربونات قابل للتكديس بسعة 1.8 لتر.
- محرك بقوة 3 حصان وقدرة كهربائية 880 واط.
- سرعتان عالية ومنخفضة مع مفاتيح □□□□□□.
- مؤقت متغير، خاصية □□□□□ □□□□ والنبض.
- إيقاف تلقائي وتقنية □□□□□□□□□□□□.
- شفرات ستانلس ستيل وغطاء إضافة مكونات قابل للإزالة.
- أقدام □□□□ □□□□ لتعزيز الثبات.

المواصفات الفنية

خلاط هاميلتون بيتش □□□□ - موديل □□-550□□□

نوع المنتج	خلاط بار كهربائي تجاري عالي الأداء
العلامة التجارية	□□□□□□□□ □□□□□
السلسلة	□□□□ - □□□□□□□□□□□□□□□
الموديل	□□-550□□□
نوع التركيب	سطح طاولة
سعة الوعاء	1.8 لتر □ 64 أونصة حسب المواصفات
مادة وتصميم الوعاء	بولي كربونات، قابل للتكديس
قدرة المحرك	3 حصان
القدرة الكهربائية	880 واط
عدد السرعات	سرعتان - عالية ومنخفضة
نظام التحكم	مفاتيح □□□□□□
المؤقت □ □□□□□ □□□□	مؤقت متغير □ متوفرة
النبض □ الإيقاف التلقائي	متوفر □ متوفر
تقنية الخلط	□□□□□□□□□□□□
مادة الشفرات	ستانلس ستيل
غطاء فتحة إضافة المكونات	قابل للإزالة
ثبات القاعدة	أقدام □□□□ □□□□
الجهد □ التردد	220-240 فولت □ 50□60 هرتز
الطور الكهربائي	أحادي الطور
التيار الكهربائي	غير مذكور
الأبعاد □ الوزن الصافي	غير مذكورة □ غير مذكور
بلد المنشأ	غير مذكور

كلمات البحث □□□

خلاط □□-550□□□ □□□□□ □□□□□□□□□□، خلاط □□□□، خلاط بار تجاري 1.8 لتر، خلاط 3 حصان، خلاط 880 واط، خلاط سموذي، معدات تحضير المشروبات دبي، ماريوت لمعدات المطابخ

البيانات حسب المواصفات المقدمة. ينبغي تأكيد القيم غير المذكورة قبل التركيب أو النشر.