# Electric Water Grill on Closed Stand

MG7 Series | Double Grid | 12 kW Electric Power
MG7AQE777 | MBM | Italy




| KEY SPECS | |
|---|---|
| Model | **MG7AQE777** |
| Configuration | **Electric water grill on closed stand** |
| Grid dimensions | **352 × 475 mm × 2** |
| Power layout | **2 × 6 kW** |
| Total power | **12 kW** |
| Temperature | **50–300°C** |
| Net / gross | **82 / 87 kg** |
| Overall size | **700 × 700 × 850 mm** |

## COMMERCIAL COOKING

Electric water grill on closed stand with double cooking grids. The stainless-steel extractable drawer with water allows evaporation beneath the electric heating elements for delicate and uniform cooking while helping preserve flavour.

## MBM MG7AQE777 | Electric Water Grill

MG7AQE777

Overall dimensions (W × D × H): 700 × 700 × 850 mm
Grid dimensions: 352 × 475 mm each × 2
Power: 2 × 6 kW = 12 kW | Temperature: 50–300°C | Net weight: 82 kg

* All technical data reflects the product details supplied.
ISO 9001 reference is supplied; certification not independently verified.

# Product Features & Technical Information

MG7AQE777 | MBM | Electric Water Grill on Closed Stand

## KEY FEATURES

- Electric water grill on closed stand
- Double cooking grids, 352 × 475 mm each
- Worktop made of AISI 304 18/10 stainless steel, 1 mm thickness
- Stainless-steel extractable drawer with water
- Water evaporation under heating elements for delicate and uniform cooking
- Temperature range from 50 to 300°C
- Two electric heating elements
- Designed to help maintain food flavour during cooking

## DETAILED TECHNICAL SPECIFICATIONS

| | |
|---|---|
| Brand / manufacturer | MBM |
| Model | MG7AQE777 |
| Equipment type | Electric water grill on closed stand |
| Country of origin | Italy (supplied) |
| Worktop material | AISI 304 18/10 stainless steel |
| Worktop thickness | 1 mm |
| Grid dimensions (W × D) | 352 × 475 mm × 2 |
| Heating elements | 2 |
| Electric power | 6 + 6 = 12 kW |
| Power supply | 400 V / 3N / 50–60 Hz |
| Temperature range | 50–300°C |
| Cooking system | Water evaporation under electric heating elements |
| Feature detail | S/S extractable drawer with water and contained containers |

| | |
|---|---|
| Net / gross weight | 82 kg / 87 kg |
| Overall size (W × D × H) | 700 × 700 × 850 mm |
| Quality reference | ISO 9001 (supplied) |

## INSTALLATION DATA – TO BE CONFIRMED

Electrical connection details, cable specification, and clearance requirements were not supplied. Check the manufacturer installation manual and rating plate before commissioning.