PROFESSIONAL BEVERAGE PREPARATION

# JTC OmniBlend V

## Professional Blender | White

1.5-litre Tritan container | Made in Taiwan



| 3 HP | 38,000 RPM | 1.5 L |
|---|---|---|
| Motor power | Max blade speed | Container |

## Product Overview

The JTC OmniBlend V professional blender combines a 3 HP motor, blade speeds up to 38,000 RPM and a 1.5-litre BPA-free Eastman Tritan container. Six stainless steel blades handle wet and dry ingredients, while seven one-touch buttons, three timed programmes and a pulse function support daily beverage and food preparation.

## Key Features

- 3 HP motor with speeds up to 38,000 RPM
- 1.5 L BPA-free Eastman Tritan container
- Six stainless steel blades for wet and dry ingredients
- Seven one-touch buttons; High / Medium / Low speeds
- 35 / 60 / 90-second automatic cycles and Pulse
- Motor shut-off protection and sealed control buttons
- Lockable lid, tamper tool and guidance included

# Technical Specifications

JTC OmniBlend V | Professional Blender

| | |
|---|---|
| **Brand / Series** | JTC / OmniBlend V |
| **Product type** | Professional commercial countertop blender |
| **Model code** | Exact model code not specified |
| **Container capacity** | 1.5 litres |
| **Container material** | Eastman Tritan, BPA-free copolyester |
| **Motor rating** | 3 HP |
| **Maximum blade speed** | 38,000 RPM |
| **Blade assembly** | 6 laser-cut Japanese stainless steel blades |
| **Blending system** | Wet and dry ingredients |
| **Control buttons** | 7 one-touch buttons |
| **Speed selection** | High / Medium / Low |
| **Automatic cycles** | 35 / 60 / 90 seconds |
| **Pulse function** | Yes |
| **Motor protection** | Automatic shut-off sensor for excessive use |
| **Control panel** | Moisture-resistant, sealed buttons |
| **Lid / Tamper** | Lockable lid / Included |
| **Dimensions (W x D x H)** | 250 x 220 x 420 mm |
| **Shipping weight** | 1.00 kg (supplied; requires verification) |
| **Voltage / Frequency** | Not specified / Not specified |
| **Colour / Origin** | White / Taiwan |

## Included Accessories

Blender base, 1.5 L Tritan container, locking lid, tamper tool, user manual and starter guide.

## SEO / Product Search Terms

JTC OmniBlend V | JTC White Blender | Commercial Blender UAE | 3 HP Blender | 38,000 RPM Blender | Tritan Blender | Smoothie Blender Dubai | Mariot Kitchen Equipment

Specifications are based on the supplied product information. The listed shipping weight (1.00 kg), exact model code and electrical supply must be confirmed before publication or technical submission.

خلاط احترافي لتحضير المشروبات

# خلاط JTC OmniBlend V

## سعة 1.5 لتر - محرك 3 حصان

اللون الأبيض | صناعة تايوانية



| 3 HP | 38,000 RPM | 1.5 L |
|---|---|---|
| Motor power | Max blade speed | Container |

## وصف المنتج

خلاط JTC OmniBlend V الاحترافي مزود بمحرك بقوة 3 حصان وسرعة شفرات تصل إلى 38,000 دورة في الدقيقة، ووعاء Tritan خالٍ من BPA بسعة 1.5 لتر. يتميز بست شفرات من الستانلس ستيل وسبعة أزرار تحكم ومؤقتات أوتوماتيكية لتحضير العصائر والسموذي والشوربات والصلصات وطحن المكونات الجافة.

## المميزات الرئيسية

- محرك قوي بقدرة 3 حصان وسرعة تصل إلى 38,000 دورة بالدقيقة
- وعاء Eastman Tritan بسعة 1.5 لتر وخالٍ من BPA
- ست شفرات ستانلس ستيل للمكونات الرطبة والجافة
- سبعة أزرار تحكم وسرعات عالية ومتوسطة ومنخفضة
- ثلاثة مؤقتات: 35 و60 و90 ثانية مع خاصية النبض
- نظام حماية تلقائي للمحرك ولوحة أزرار مقاومة للرطوبة
- غطاء قابل للقفل وأداة دفع المكونات مرفقة

# المواصفات الفنية

خلاط JTC OmniBlend V الاحترافي

| | |
|---|---|
| **العلامة التجارية / السلسلة** | JTC / OmniBlend V |
| **نوع المنتج** | خلاط تجاري احترافي يوضع على سطح الطاولة |
| **رقم الموديل التفصيلي** | غير مذكور |
| **سعة الوعاء** | 1.5 لتر |
| **مادة الوعاء** | Eastman Tritan خالٍ من BPA |
| **قدرة المحرك** | 3 حصان |
| **السرعة القصوى** | 38,000 دورة في الدقيقة |
| **الشفرات** | 6 شفرات ستانلس ستيل ياباني |
| **نظام الخلط** | للمكونات الرطبة والجافة |
| **أزرار التحكم** | 7 أزرار بلمسة واحدة |
| **مستويات السرعة** | عالية / متوسطة / منخفضة |
| **المؤقتات** | 35 / 60 / 90 ثانية |
| **خاصية النبض** | متوفرة |
| **حماية المحرك** | إيقاف تلقائي عند الاستخدام المفرط |
| **لوحة التحكم** | مقاومة للرطوبة مع أزرار محكمة |
| **الغطاء / أداة الدفع** | غطاء قابل للقفل / أداة مرفقة |
| **الأبعاد (عرض × عمق × ارتفاع)** | 250 × 220 × 420 مم |
| **وزن الشحن** | 1.00 كجم (يحتاج إلى تأكيد) |
| **الجهد / التردد** | غير مذكور / غير مذكور |
| **اللون / بلد المنشأ** | أبيض / تايوان |

## الملحقات المرفقة

قاعدة الخلاط، وعاء Tritan سعة 1.5 لتر، غطاء قابل للقفل، أداة دفع المكونات، دليل المستخدم ودليل البدء السريع.

## كلمات البحث SEO

خلاط JTC OmniBlend V، خلاط 3 حصان، خلاط 1.5 لتر، خلاط عالي السرعة، خلاط سموذي، خلاط Tritan، خلاط تجاري للمقاهي، معدات تحضير المشروبات، ماربوت لمعدات المطابخ

ملاحظة: وزن الشحن 1.00 كجم ورقم الموديل التفصيلي والجهد الكهربائي والتردد تحتاج إلى تأكيد من المورد قبل النشر.